# Eaton 170M2620

## Catalog Number: 170M2620

Eaton Bussmann series high speed square body fuse, 700V (UL), 690V (IEC), 350A, 200kAIC, Top fuse status indicator, Fuse, Blade end X blade end, Class aR, DIN 43 620

## General specifications

#### **Product Name**

Eaton Bussmann series high speed square body fuse

UPC 051712254175

Product Length/Depth 233 mm

Product Width 140 mm

Warranty Not Applicable

Certifications UL Recognized IEC Rated Catalog Number 170M2620

Model Code FUSE 350A 690V 00/80 AR UR

EAN 5027590442299

Product Height 66 mm

Product Weight 233 g

Compliances CE Marked RoHS Compliant





## **Product specifications**

#### Interrupt rating

200 kAIC

Center-to-center distance of connections

78 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

350 A

Fuse type DIN 43653 /80 Visual indicator

Fuse system (according to IEC 60269) Other

Fuse size

00

Voltage rating 690 V (IEC), 700 V (UL)

Fuse indicator Top fuse status indicator

Construction size

00

Clearing (I2T) 91500 at 660 V

Rated voltage AC

690 V

Color

None

Connection Blade end x blade end

Mounting dimension

M10

Utilization category

aR (accompanied semiconductor protection)

### Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Compliance information CE 170M Size 00, rated 690 Vac, up to 400A UKCA 170M Size 00, rated 690 Vac, up to 400A

#### Watt losses

60 W

Туре Fuse

#### Fuse shape

Square body, slotted offset bolted tags

#### Breaking capacity

200 kA

#### Class

Class aR

#### Pre arc (I2T)

13500

#### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

#### Voltage type

AC

#### Packaging type

Standard



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com © 2023 Eaton. All Rights property of their respective Reserved.

Eaton is a registered trademark.

All other trademarks are

owners.



Eaton.com/socialmedia